

PACIFIC TRUCK & TRAILER LTD.

Tahsis Co. Ltd.

Model 4600A

Serial T-660-99

Delivered

D.R. 20531-1 to 20554-24

ENGINE

|                    |  |                 |
|--------------------|--|-----------------|
|                    | NRT-6B                                   | Serial 163134   |
| BELLHOUSING        | 10486                                    |                 |
| FLYWHEEL           | 20462                                    |                 |
| FUEL PULP          | 44679-A                                  |                 |
| OIL PAN            | 107881                                   |                 |
| EXHAUST MAN'D.     | 110521 front, 110970 centre, 110541 rear |                 |
| FAN                | 28" 20217-1                              |                 |
| FAN MOUNTING       | 20 5/8 C to C                            |                 |
| FAN BELTS          | S-3161                                   |                 |
| AIR CLEANER        | Vortex Model G-1207                      | Series 456      |
| LUB. OIL FILTER    | 570C                                     | luberfiner      |
| FRONT ENG. SUPPORT | 33231 (top)                              | 101740 (bottom) |
| WATER CONNECTION   | WC-1                                     |                 |
| GLOW PLUG RESISTOR | .5                                       | OHMS            |

ELECTRICAL EQUIPMENT

|                   |          |              |
|-------------------|----------|--------------|
|                   | 24       | volt         |
| BATTERIES         | SG-21-3  | 12 volt (2)  |
| GENERATOR         | 1106855  | Serial 18135 |
| STARTER           | 1108863  | Serial 72595 |
| VOLTAGE REG.      | 118/346B |              |
| SERIES PARA'L SW. | None     |              |
| KEY SW.           | 370-E    |              |
| PUSH BUTTON SW.   | 66501    |              |
| HEADLIGHT SW.     | 7116     |              |

ELECTRICAL EQUIP'T.(cont'd.)

|                |                               |
|----------------|-------------------------------|
| DIMMER SW.     | DS-40-X                       |
| FUEL SW.       | 7116                          |
| TERMINAL BLOCK | WTB-3 (2) WTB-4 (1) WTB-6 (1) |
| HEADLIGHT      | 903-45 4800 unit              |
| STOP/LIGHT     | 497-90 SW-223220              |
| WARNING LIGHT  | 313504-431                    |
| FUSES          | CM-10 (5) CLM-60 (1)          |

INSTRUMENTS

|                     |                              |
|---------------------|------------------------------|
| AMMETER             | 440158                       |
| FUEL GAUGE          | 358-E                        |
| FUEL PRESSURE GAUGE | 444246                       |
| LUB. OIL PRESS.     | 360-A                        |
| OIL TEMP.           | 361-A                        |
| VISCOMETER          | S-682-GA S-743 ins.          |
| WATER TEMP.         | 361-B                        |
| TACHOMETER          | 557-JN                       |
| SPEEDOMETER         | 564-S                        |
| AIR GAUGE           | 444228 (2) 225635 (2)        |
| SPEEDO. CABLE       | 65600 - 164                  |
|                     | CORE AND CLUTCH ASSY. 65659  |
|                     | CASE AND FERRULE ASSY. 98882 |
| TACH. CABLE         | 96300 - 50                   |
|                     | CORE AND CLUTCH ASSY. 68496  |
|                     | CASE AND FERRULE ASSY. 98882 |
| SPEEDOMETER GEARS   | DRIVE 447077 DRIVEN 70509    |
|                     | SLEEVE 403170 BUSHING 34671  |

INSTRUMENTS (cont'd.)

|                     |            |
|---------------------|------------|
| SPEEDOMETER ADAPTER | 777-B.9183 |
| TACH. ADAPTER       | None       |

FUEL SYSTEM

|                |                               |
|----------------|-------------------------------|
| TANK           | FT-10 75 gallon FTS-9A Brkt.  |
| CAP            | CD-297 Filler Neck ND-1299    |
| LOCATION       | L.H. side under running board |
| FUEL GAUGE     | 358-E Unit 380-D-18           |
| PRIMER         | Cummins                       |
| IDLING CONTROL | 3-A-580                       |
| EMERGENCY STOP | 44-R                          |

CLUTCH

|                  |                       |
|------------------|-----------------------|
|                  | 15 1/2 2 plate Spicer |
| PILOT BEARING    | 6306-Z                |
| THROWOUT BEARING | 550353                |

TRANSMISSION

|              |                                  |
|--------------|----------------------------------|
|              | 8241 Serial T-101589 B/M3801-259 |
| BELLHOUSING  | 102-C-445                        |
| DRIVE GEAR   | 82-35-1                          |
| AUX. CONTROL | 001463                           |

AUX. TRANSMISSION

|                |                                 |
|----------------|---------------------------------|
|                | 8031-C Serial 98287 B/M 2781-71 |
| FRONT TRUNNION | 70-410-2                        |

EXHAUST

M-9

STEERING

|             |        |
|-------------|--------|
|             | G-500  |
| TUBE LENGTH | 54 7/8 |
| WHEEL       | 22"    |

STEERING (cont'd.)

HYDRAULIC BOOSTER

S6-277

PUMP

V-210-8-1C-12 LH

BELTS

DRIVE PULLEY 43108

ADAPTER 43109

DRIVEN PULLEY 2BK 70H

SLEEVE H 3/4

DROPARM

440190

DRAGLINK

CT-28D 626

PROPELLOR SHAFT

1700, 1800, 1700

FRONT JOINTS

201527-3

FLANGE YOKE 6-2-319

FRONT COMPANION FLANGE 6-1-1731

REAR COMPANION FLANGE 6-1-1481

LENGTH F. TO F.

33

TUBE SIZE 3 1/2 x .156 wall

CENTRE JOINTS

200771

FLANGE YOKE FRONT 6 1/2-2-89

REAR 6 1/2-2-79

FRONT COMPANION FLANGE 6 1/2-1-301

REAR COMPANION FLANGE 6 1/2-1-211

LENGTH F. To F.

51

TUBE SIZE 3 1/2 x .188 wall.

REAR JOINTS

10412SF

END YOKE 6-4-1211

LENGTH C.C. JOURNALS 27 1/2

TUBE SIZE 3 1/2 x .156 wall

RADIATOR

AR-7A

CORE

SK-540406A

SHUTTER

SR-7A

SHROUD

SRD-18

CAP

850158

NECK 676-P-20

GASKET

846732

RADIATOR (cont'd.)

|                |  |
|----------------|--|
| GRILLE         | GR-8                                     |
| MOUNTING PARTS | PR-4 rubbers, ST-10 studs, SC-11 springs |
| ORNAMENT       | NPX-5                                    |
| CONNECTIONS    | WC-2 top      WC-9 bottom                |
| SHUTTERSTAT    | Z-1211                                   |
| AIR CYLINDER   | Z-1108                                   |
| FILTER         | Z-1623                                   |

PARKING BRAKE

65-D-60550      Disc 65-D-1800

FRONT AXLE

|                  |  |
|------------------|--|
| AXLE CENTRE      | 27462-WX-27      Serial 72662            |
| BRAKES           | 19940 drilled for 4" springs             |
| BRAKE LINING KIT | 17 1/4 x 4      TRACK 79 1/2             |
| BRAKE DRUM       | 2000-Y-25                                |
| HUB              | 73751 (Budd)                             |
| STUD             | 333-M-923                                |
| TIRES            | 63114 R.H.      63115 L.H.               |
| WHEELS           | 12:00 x 24 Goodyear Hard Rock Rib        |
| STEERING ARM     | 47810-D-3                                |
| CAMSHAFT         | 3133-D-732                               |
| CHAMBER          | L.H. 2210-T-2464 ,      R.H. 2210-U-2465 |
| SLACK ADJUSTER   | 225269                                   |

REAR AXLE

|              |                                   |
|--------------|-----------------------------------|
| FORWARD AXLE | SFD/4600 PX-81                    |
| REAR AXLE    | D4600DFPX-68      SERIAL F-639571 |
|              | D4600DRPX-78      SERIAL F-639555 |

REAR AXLE (cont'd.)

|                 |   |                        |           |
|-----------------|---|------------------------|-----------|
| RATIO           | 10.16 to 1                                    | TRACK                  | 74 1/8    |
| BRAKES          | 18 x 7  | LINING KIT             | 2000-U-21 |
| BRAKE DRUM      | A-3219-K-2065                                 |                        |           |
| HUB             | 333-D-888                                     |                        |           |
| STUD            | 63342 L.H.                                    | 63341 R.H.             |           |
| AXLE SHAFT      | R.H. 3202-N-2536 (short) LH3202-Q-2539 (long) |                        |           |
| CAMSHAFT        | L.H. FORWARD R.H. REAR 2210-P-2980            |                        |           |
|                 | R.H. FORWARD L.H. REAR 2210-Q-2981            |                        |           |
| BRAKE CHAMBERS  | 225254  |                        |           |
| SLACK ADJUSTERS | 222821  |                        |           |
| TIRES           | 12:00 x 24                                    | Goodyear Hard Rock Lug |           |
| WHEELS          | 47810-D-3                                     |                        |           |

FRAME

|                 |                     |                       |
|-----------------|---------------------|-----------------------|
| CASTINGS        | 9-3 1/4 x 1/4 x 360 | 8 1/2 x 3 x 1/4 x 330 |
| SPRING BRACKETS | FTB-3               | SBF-7 & SBF-8         |

BRAKE SYSTEM

|                   |                                  |                     |           |
|-------------------|----------------------------------|---------------------|-----------|
| VALVES            | 2 compressor system schedule (C) |                     |           |
|                   | BRAKE 223526                     |                     |           |
| HAND              | 224491 (2)                       | Exhaust Check Valve | 224667    |
| SAFETY            | 205105                           | 2-way check         | 217698    |
| EXHAUST CHECK     | 223891                           | HORN                | WH-7000-5 |
| QUICK RELEASE     | 205000                           | HORN VALVE          | WH-70020  |
| GOVERNOR          | 224333                           |                     |           |
| LOW PRESSURE IND. | 223578                           | MANIFOLD            | 212322    |
| COMPRESSOR - L.H. | 227195                           | SERIAL              | 3D-23-56  |
| R.H.              | 226685                           | SERIAL              | 1C-15-56  |

BRAKE SYSTEM (cont'd.)

RESERVOIR 221394 DRAIN COCK 215310  
WILLIAMS SAFETY VALVE ES-60  
CHAMBERS AND SLACK ADJUSTERS - SEE AXLE PARTS

FRONT SPRINGS

S-15  
SPRING PIN SP-60 BUSHING B-20-33  
U BOLTS UB-15B  
SPRING PAD TSP-13

REAR SPRINGS

S-12B  
U BOLT UB-12B  
SPRING PAD TSP-2

BODY PARTS

CAB

C-4  
Windshield GW-C4  
Door Window GDW-C  
Rear Fixed GRF-C Sliding GRS-C  
Cowl Ventilator O1595LX  
Grab Handle HG-36  
REAR VIEW MIRROR 9000  
Cab Springs SC-5 (3) Rubbers PR-4 (2)

FENDER

F-15 FENDER SKIRT FS-10

HOOD

HE-11

RUNNING BOARD

RB-8 Battery Box BC-5A

CAB HARDWARE

R.H. Door Lock 65-R Handle 330  
L.H. Door Lock 65-L Handle 331  
Window Regulator 85-24

CAB HARDWARE (cont'd.)

|                    |        |              |
|--------------------|--------|--------------|
| Door Striker Plate | 5623-A |              |
| Dove Tail Male     | A-247  | Female A-246 |
| Check Strap        | 268-P  | Footman Loop |

HOOD HARDWARE

|             |     |                   |
|-------------|-----|-------------------|
| Hood Handle | 575 | Hood Hooks 9688-B |
|-------------|-----|-------------------|

MISCELLANEOUS

|             |                  |                         |
|-------------|------------------|-------------------------|
| Water Tank  | WT-10            |                         |
| Subframe    | SF-7A            |                         |
| U Bolts     | SUB-6            |                         |
| Bunk        | 12'              | Type Seattle High Stake |
| Pin         | BP-2             |                         |
| Pintle Hook | 290              |                         |
| Draw Bar    | CR-2D            |                         |
| Paint       | 2331-8799 P.G.E. | Equipment Orange.       |